

GÜÇLÜ BİR GELECEK İÇİN STRONGER FOR THE FUTURE



www.activent.com.tr



ACTIVENT®

ÜRÜN KATALOĞU
PRODUCT CATALOGUE

4 AKSİYAL FANLAR AXIAL FANS



AYMP

4 KANATLI METAL PERVANELİ
DİREKT AKUPLE MOTORLU DAİRESEL KASALI

4 WING METAL PROPELLER ROUND
FRAME FANS

AYMP duvar ve pencereye montaj imkanı olan bu fanlar güçlü hava akımı sağlarlar. Düşük ses seviyeleri ve yüksek verimleri ile ekonomik fanlardır.

MALZEME

Gövdesi ve pervanesi elektrostatik toz boyalı sacdan mamuldür.

HIZ KONTROLÜ

Opsiyonel olarak frekans inverteri ile sağlanabilir.

KULLANIM ALANLARI

Fabrikalar, depolar, boyahaneler, imalathaneler vb. büyük hacimli yerlerin havalandırılması için kullanılır.

AYMP these fans which can be mounted on the walls and windows provide a strong air flow. They are economic fans with low sound levels and a high productivity.

MATERIAL

Its body and fan are made of electrostatic powder-coated steel plate.

SPEED CONTROL


It can be supplied with optional frequency inverters.

USAGE AREAS

It is used for the ventilation of large volume locations like factories, warehouses, paint shops, workshops, etc.







Tip/Kod Type/Code	Elektrik Motoru / Electrical Motor				Max. Debi Air Flow (m ³ / h)
	Voltaj Voltage	Güç Power		Devir Speed	
	(V)	(HP)	(kW)	(d/d) (rpm)	
AYMP-300-0,50-T-4K	380	0,50	0,37	1.380	3.500
AYMP-350-0,50-T-4K	380	0,50	0,37	1.380	4.000
AYMP-400-0,50-T-4K	380	0,50	0,37	1.380	5.000
AYMP-450-0,50-T-4K	380	0,50	0,37	1.380	6.000
AYMP-500-1,00-T-4K	380	1,00	0,75	1.410	8.000
AYMP-550-1,00-T-4K	380	1,00	0,75	1.410	10.000
AYMP-600-1,50-T-4K	380	1,50	1,10	1.430	12.000
AYMP-650-2,00-T-4K	380	2,00	1,50	1.430	14.000
AYMP-700-3,00-T-4K	380	3,00	2,20	1.435	16.000
AYMP-750-4,00-T-4K	380	4,00	3,00	1.435	20.000
AYMP-800-5,50-T-4K	380	5,50	4,00	1.455	25.000
AYMP-900-7,50-T-4K	380	7,50	5,50	1.465	35.000
AYMP-1000-7,50-T-6K	380	7,50	5,50	960	40.000
AYMP-1100-7,50-T-6K	380	7,50	5,50	960	45.000
AYMP-1200-10,0-T-6K	380	10,0	7,50	960	50.000

TEKNİK ÖLÇÜLER / TECHNICAL DIMENSION












Tıp/Kod Type/Code	Ölçüler / Sizes (mm)		
	D	D1	L
AYMP-300-0,50-T-4K	300	370	130
AYMP-350-0,50-T-4K	350	420	130
AYMP-400-0,50-T-4K	400	470	130
AYMP-450-0,50-T-4K	450	520	130
AYMP-500-1,00-T-4K	500	570	150
AYMP-550-1,00-T-4K	550	620	150
AYMP-600-1,50-T-4K	600	670	150
AYMP-650-2,00-T-4K	650	720	200
AYMP-700-3,00-T-4K	700	770	200
AYMP-750-4,00-T-4K	750	820	200
AYMP-800-5,50-T-4K	800	870	200
AYMP-900-7,50-T-4K	900	970	220
AYMP-1000-7,50-T-6K	1.000	1.070	250
AYMP-1100-7,50-T-6K	1.100	1.170	250
AYMP-1200-10,0-T-6K	1.200	1.270	250

TEKNİK ÖLÇÜLER / TECHNICAL DIMENSION



Discover the potential



NOT _____

Discover the potential



NOT _____

ACTIVENT®

Halkalı Merkez Mahallesi
Şehit Yılmaz Özdemir Caddesi
Sanayi Sokak No: 4
Küçükçekmece, İstanbul, Türkiye

P: +90.212 698 02 25

P: +90.212 698 02 26

P: +90.212 565 73 03

info@activent.com.tr

www.activent.com.tr

